

ADG 274

Doosan
Mecc Alte
D+! &''



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$#/(#

! ž \$ < nž 7 cg 1 \$ž

	"	"	"	"	
400/230	274.00	219.00	245.00	197.00	353.00

fPQDE

GC ;) &

fDF DŁ

GC ;) & ž

%\$!

%

%&

ž&(

GC " \$(**

ENGINE

!

!

!

WISE ACCESSORIES

!

!

!

!

!

!

!

!

ALTERNATOR

!

!

!

!

CONTROL SYSTEM

!

!

!

!

!

!

!

ADG 274

Doosan
Mecc Alte
D' + &''

1

Manufacturer	Doosan	
Model	GV158TI	
	1500 d/dk	8) ' "\$ "Q DQ
	L	344.0000
		128 x 142
		10,5 : 1
	fl # ı	rpm
		1500
Fuel Consumption	m ³ /h.	58,4
Gas Pressure	mbar	70 - 300
Oil Capacity	L	31
Water Capacity	L	36
Absorbed Air Discharge	m ³ /dk.	1110
Disposal Air	m ³ /san	9
	m ³ /dk.	1800
	° C	495

2

Manufacturer	Mecc Alte	
	ECO38 - 1LN	
	"	250
Cos fi	1	
	3	
	400/230	
5_ia	A	360


3

	"	"	"	"
	2950	2900	1450	1940
	"	"	"	"
	4200	4560	1470	2300

ADG 274

Doosan
Mecc Alte
D+ &

• D+ &



• Devices

"8G9ž + &\$ž) 5ž&&\$#(&(\$

• Structure And Paint

• Montage

• Generator Control Unit

"8G9+' &\$ž &) \$ ž "8G9+' &\$ž "8G9+' &\$ž "8G9+' &\$ž

% &l '*(' žFG' &žFG(,)ž

ADG 274

Doosan
Mecc Alte
D+' &''

Indicator

f@z@BŁ
f@%&!@Ł

" " " " " " " " " "

f@z@BŁ

Protection

#

971

#

#

#

Optional Properties

f&) (, Ł
f&%) +Ł
f&% \$Ł

Standards

6G'9B '*\$-) \$

6G'9B '*%\$\$!*&'

6G'9B '*%\$\$!*('

#

Electronic Charge Equipment

% , !&* \$
"

GA 8
&(\$)
"

GA 8


!&('

"

ADG 274

Doosan
Mecc Alte
D+' &'

5?''+\$!'



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

f1 \$\$! '%\$\$' E'

1

&\$\$\$/ # "

		AK 70
	mm.	1470
	mm.	4560
	mm.	2300